



# Digi XBee XR 868 Development Kit

Complete Digi XBee XR 868 development platform operates in the 863-870 MHz range, delivering superior performance and interference immunity at 868 MHz

The **Digi XBee® XR 868 Development Kit** features the Digi XBee 868 RF MHz module with RF pad antenna and a Digi XBee development board. The module is a compact and reliable solution supporting deployment of long-range connectivity applications in the European region. The pre-certified module operates between 863 and 870 MHz in compliance with European standards.

The module supports both point-to-point and mesh networking protocols, with a line-of-sight range of over 14 kilometers. It is well suited for agriculture and energy applications where long-distance communication is required.

## INTELLIGENT INTERFERENCE MANAGEMENT


Digi XBee XR 868 also leverages 868 MHz and surrounding frequencies for LBT + AFA (Listen Before Talk and Adaptive Frequency Agility). This significantly reduces interference by listening to the radio environment before any transmission starts, and automatically shifting to a new channel when interference is detected. This patented frequency scan occurs automatically and in a matter of microseconds so as not to impact performance.

## ACCELERATE DEVELOPMENT WITH DIGI XCTU

The Digi XBee XR 868 RF module is a complete hardware and software solution that works directly out of the box. **Digi XCTU®**, Digi's easy-to-use RF configuration tool, reduces development time from months to weeks, ensuring your product gets to market fast.

## PROVEN EXPERIENCE AND EXPERT SUPPORT

With over twenty years of experience enabling millions of globally connected products, Digi is a trusted embedded and IoT solutions provider, simplifying the way customers design, build and deploy connected applications. Digi also offers cellular integration support, certification assistance, and custom design and build services to get your products to market smarter and faster. **Digi Wireless Design Services (WDS)** offers additional services to support you wherever you are along your development path.



Connect this device with **Digi XCTU**.  
Create. Configure. Deploy. Manage.

## The kit includes:

- ✓ Digi XBee XR 868 MHz RF module
- ✓ Digi XBee development board
- ✓ Digi XCTU and Digi XBee Tools
- ✓ Free schematic review from **Digi WDS\***
- ✓ Additional documentation and examples


PART NUMBER	DESCRIPTION
<b>XK-8XR-DMM</b>	Digi XBee XR 868 Development Kit

\*Level 1 review

## Key features, benefits and applications

- Low-power CE/RED certified 868 MHz RF module based on Silicon Labs EFR32 microcontroller
- Design includes SAW filter for optimal performance in noisy RF environments
- Listen-Before-Talk and Frequency Agility for optimal interference immunity
- **DigiMesh®** networking topology for redundancy and reliability
- Simple configuration using Digi XCTU accelerates time to market
- Turnkey development and custom gateway engineering services available from **Digi WDS**






## DIGI XBEE XR 868 DEVELOPMENT KIT

# Specifications

SPECIFICATIONS		DIGI XBEE XR 868
<b>HARDWARE</b>		
PROCESSOR	EFR32FG13P231F512 transceiver at 40 MHz	
FREQUENCY BAND	863 MHz to 870 MHz	
ANTENNA OPTIONS	U.FL, RF pad	
WEIGHT	1.2 grams (0.042 oz) for MMT	
<b>PERFORMANCE</b>		
RF DATA RATE	10 kbps or 80 kbps, software selectable	
UART DATA RATE	Up to 921.6 kbps	
SPI DATA RATE	Up to 5 Mbps	
LINE-OF-SIGHT RANGE*	Up to 14.5 km with 2.1 dBi antenna	
TRANSMIT POWER	Up to 13 dBm ERP	
RECEIVER SENSITIVITY	-107 dBm at 80 Kbps, -112 dBm at 10 Kbps	
<b>FEATURES</b>		
I/O	13 digital I/O	
ANALOG INPUTS	4 channels 10-bit	
OPERATING TEMPERATURE	-40 °C to 85 °C (-40 °F to 185 °F)	
NETWORKING TOPOLOGIES	DigiMesh, repeater	
SECURITY	128-bit AES encryption	
<b>POWER</b>		
SUPPLY VOLTAGE	1.8 - 3.6 VDC	
TRANSMIT CURRENT	76 mA	
RECEIVE CURRENT	26 mA	
SLEEP CURRENT	185 µA	
<b>REGULATORY APPROVALS</b>		
ETSI (EUROPE)	CE/RED	
ROHS	Compliant	



\*Range figure estimates are based on free-air terrain with limited sources of interference. Actual range will vary based on transmitting power, orientation of transmitter and receiver, height of transmitting antenna, height of receiving antenna, weather conditions, interference sources in the area, and terrain between receiver and transmitter, including indoor and outdoor structures such as walls, trees, buildings, hills, and mountains.



## DIGI XBEE XR 868 DEVELOPMENT KIT MANAGEMENT

# Digi XCTU and Digi XBee Tools

## Digi XCTU

Digi XCTU is a free multi-platform application designed to enable developers to interact with Digi RF modules through a simple-to-use graphical interface. It includes a tool suite that makes it easy to set up, configure and test **Digi XBee RF modules**.

Learn more at [www.digi.com/XCTU](http://www.digi.com/XCTU).

## NEXT GENERATION CONFIGURATION PLATFORM FOR XBEE/RF SOLUTIONS

Digi XCTU includes all of the tools a developer needs to quickly get up and running with Digi XBee. This tool includes unique features like a graphical network view, which graphically represents the Digi XBee network along with the signal strength of each connection. The Digi XBee API frame builder intuitively helps to build and interpret API frames for Digi XBees being used in API mode. These and other features combine to make development on the Digi XBee platform easier than ever.

## FEATURES


- Digi XCTU is a **free, multi-platform** application compatible with Windows, MacOS and Linux.
- It provides a **Graphical Network View** for simple wireless network configuration and architecture.
- The **API Frame Builder** is a simple development tool for quickly building Digi XBee API frames.
- The **Firmware Release Notes Viewer** allows users to explore and read firmware release notes.

## Digi XBee Tools

Digi XBee Tools support the complete IoT application lifecycle, from the evaluation, testing and prototyping phase through manufacturing and deployment to long-term network management.

Digi XBee Tools offer total lifecycle management from the moment you launch development of your IoT application, through production of your configured devices, on-site installation and monitoring and management of your deployed Digi XBee network.

Learn more at [www.digi.com/xbee](http://www.digi.com/xbee).



## ADDITIONAL HIGHLIGHTS

- You can manage and configure multiple RF devices, even remotely (over-the-air) connected devices.
- The firmware update process seamlessly restores your module settings, automatically handling mode and baud rate changes.
- Two specific API and AT consoles enable you to communicate with your radio devices.
- You can save your console sessions and load them in a different PC running Digi XCTU.
- Digi XCTU includes a set of embedded tools that can be executed without having any RF module connected:
  - Frames generator: Easily generate any kind of API frame to save its value.
  - Frames interpreter: Decode an API frame and see its specific frame values.
  - Recovery: Recover radio modules that have damaged firmware or are in programming mode.
  - Load console session: Load a console session saved in any PC running Digi XCTU.
  - Range test: Perform a range test between two radio modules of the same network.
  - Firmware explorer: Navigate through XCTU's firmware library.
- An update process allows you to automatically update the application itself and the radio firmware library without needing to download any extra files.
- Digi XCTU contains complete and comprehensive documentation which can be accessed at any time.



## DIGI XBEE XR 868 DEVELOPMENT KIT

# Digi Wireless Design and Part Numbers

## Digi Wireless Design Services



DEFINITION



DEVELOPMENT



CERTIFICATION



MANUFACTURING

### GET TO MARKET FASTER WITH DIGI WDS

Digi Wireless Design Services (WDS) has a proven history of helping clients speed down the path to success by guiding them around the technological and regulatory certification pitfalls that botch budgets and disrupt product introductions.

We begin by actively listening to your business and technical requirements, and then leverage our proven methodology, world-class engineering expertise and library of IP to design a cost-effective solution that is tailored to your specific needs.

Accelerate toward the solution that is right for you and your customers. Contact **Digi WDS** to find out how we can guide you to success.

### DIGI WDS SERVICES

We offer services to support you wherever you are along your development path, with a record that speaks for itself.

- Proof of concept
- Architecture consultation
- Requirements definition
- System, software and electrical design
- Design reviews
- Certifications
- Prototype build
- Manufacturing test fixtures
- 250+ product development projects
- 100+ certification failure rescues
- 100 million connected devices around the globe

## PART NUMBERS

## DIGI XBEE XR 868 DEVELOPMENT KIT

### DIGI XBEE XR 868 DEVELOPMENT KIT

XK-8XR-DMM

Digi XBee XR 868 Development Kit with Digi XBee XR 868 MHz MMT, RF Pad antenna connection and development board

For more information, please visit [digi.com](https://www.digi.com)

For more information about Digi XBee, visit [www.digi.com/xbee](https://www.digi.com/xbee)

877-912-3444 | 952-912-3444

